+7 (812) 426 7560

OGRN (registration number) 1107847076193 TIN 7841422483



«Partnership, Investments, Development» LLC info@pir.group www.sanyi.pro

Date: 01.10.2025 Nº: 01/1025

COMMERTIAL OFFER

Dear partners!

LLC «PIR» offers the widest range of models in the industry to meet the ever-changing and expanding requirements of your business.

ASTRA HD9 E5 - The new generation of Astra HD9 E5 vehicles combines 50 years of experience in the highly specialised field of heavy-duty truck manufacturing with the latest technology, which is represented by a new cabin and striking design, as well as significantly increased driver comfort. Increased comfort, improved visibility thanks to large windows and new rear-view mirrors, unique and cutting-edge design - these are the innovations combined with the extremely high reliability of the chassis and drive system of Astra makes Astra HD9 E5 an ideal choice for companies demanding maximum performance in every type of working conditions.


Vehicle type, manufacturer	Model
Dumper truck ASTRA	HD9 E5 (Rigid), rock hauling body CANTONI 20 м3

Special notification:

- 1. Warranty period: 12 months or 2000 usage hours, whichever comes first, no more than 15 months from the date of receipt of the vehicle.
- 2. Attachments: technical characteristics of the ASTRA HD9 dump truck with a CANTONI rock hauling body, load volume 20 m³

Lutaenko Aleksei Deputy CEO for Relations with Special **Equipment Manufacturers** LLC «PIR» Tel. +7 (926) 619-47-18

E-mail: a.lutaenko@pir.spb.ru



 $\begin{tabular}{ll} & \mbox{ ``error Partnership, Investments, Development'' LLC} \\ & \mbox{ $\inf o@pir.group $www.sanyi.pro} \end{tabular}$

OGRN (registration number) 1107847076193 TIN 7841422483

Attachment № 1

Rock hauling dumper truck IVECO Astra HD9 E5 8x4 (chassis 8x4)




CHASSIS SPECIFICATIONS		
Model	Astra HD9 E5 84.48	
Ecological class	EU-5	
Engine model and displacement	12 880 cm³ (Cursor 13)	
Amount and placement of cylinders	6, line	
Power	353 kW/480 ps	
Fuel type	Diesel	
Body color	RED	
Drive configuration	8x4	
Transmission type	Manual, 16 synchronized forward gears + 2 reverse gears (ZF 16 S	
Transmission type	2220 TO Over Drive)	
Wheel base	1 900 + 2350 + 1450 mm	
Loaded weight	50 000 kg	
Gross weight of haul train (dump truck + trailer)	104 000 kg	
Curb weight	19 850 kg	
Max load	30 150 kg	
Maximum axle loads	9 000/9 000/32 000 kg	
CHASSIS CONF	FIGURATION	
Anti-lock Braking System (ABS)	Electronic Brake Limiter (EBL)	
Off-road ABS mode	Front and rear wedge-type self-adjusting "duo duplex" brake system	
Air dryer for brake circuit	Special extra-heavy-duty rigid frame	
Fuel tank 300 L	1st and 2nd axles with reinforced 4-leaf parabolic springs	
Stabilizer bars on 1st, 3rd, and 4th axles	Standard heating system	
Engine brake Iveco Turbo Brake (200 kW / 272 hp)	Protective grille for front and rear lights	
Pneumatically controlled differential lock	Fuel filter with heating	
Rear axle ratio: 1:6.588	Pneumatic driver's seat	
ZF hydraulic power steering on front axles	Vertical exhaust	
Two-seat day cab	Heated electric side mirrors	
Steel rims	battery disconnect switch (manual)	

 $\begin{tabular}{ll} & \mbox{ ``error Partnership, Investments, Development'' LLC} \\ & \mbox{ $\inf o@pir.group $www.sanyi.pro} \end{tabular}$

OGRN (registration number) 1107847076193 TIN 7841422483

CAR BODY SPECIFICATIONS - CANTONI (Italy)		
Spare Wheel	Standard tool kit	
ERA GLONASS system	Operator's manual in Russian	
Severe climate adaptation set up	Multimedia system	
Spare parts catalogue in Russian	Digital tachograph MTCO	
Cab independent heater (Webasto)	Engine pre-heating system (Webasto)	
Heavy-duty axles for severe operating conditions	Double-reduction gear	
Seat with headrest	Manual cab tilting	
Tyres: 325/95 R25	Battery capacity: 180 Ah	
Two-cylinder compressor, 630 cm3	Steel front bumper	



COMMON SPECIFICATIONS			
Manufacturer and model		Special tipping body for granitized rock CANTONI (Italy)	
Load volume		20 m ³	
Tipping body shape		Rectangular	
Tipping body color		Red	
MATERIAL AND GAUGE			
Side areas		Wear-resistant steel HB 450	
		10 mm	
Bottom		Wear-resistant steel HB 450	
		15 mm	
STANDARD CONFIGURATION OF THE TIPPING BODY			
Protective covering over the whole bo	dy	Durable rear mudguards	
Spare wheel holder, winch type		Pneumatic control body tilting	
Exhaust gas body heating system		Emergency manual body lifting system	
Special rigid construction for rock hau	ling	Rear cross beam of the subframe	
Rear side with the chain opening system		Zynk-covered toll kit	
MAIN ADVANTAGE			
	ASTRA vehicles have always demo	nstrated excellent maneuverability, and are ideal for use in confined	
Advanced mobility	spaces and on narrow city streets.		

«Partnership, Investments, Development» LLC <u>info@pir.group</u> <u>www.sanyi.pro</u>

OGRN (registration number) 1107847076193 TIN 7841422483

Efficiency	Due to the high performance characteristics, the efficiency of this car is higher than that of its Russian	
	counterparts.	
Personal production for every client	Thanks to our own design bureau and production capacities, our company is able to produce equipment	
	individually for each client, based on the tasks set for the vehicle and operating conditions.	







Rear side with the chain opening system



Exhaust gas heating system





The commercial offer is valid for 10 calendar days from the date of receipt. The manufacturer keeps the right to make changes to the design of the equipment without prior notice during the adaptation of attachments to the chassis during installation, as well as for the purpose of improving the operational performance of the equipment. Therefore, the technical specifications and parameters of the equipment indicated in this commercial offer, which are based on manufacturer documentation, may differ from the actual parameters of the final product. The actual parameters of the final product are specified in the specification at the time of signing of the sales contract for the specific finished product.